### **United States Department of the Interior National Park Service**

# National Register of Historic Places Inventory—Nomination Form

For NPS use only

received JUN 2 0 1983 date entered

See instructions in *How to Complete National Register Forms* Type all entries—complete applicable sections

<u> 1. Nan</u>	<u>ne</u>	· · · · · · · · · · · · · · · · · · ·				
historic	George H. Kelly	louse	(D00	(D009:7-9)		
and/or common	NA		·	·		
	ation					
street & numbe	r 1924 Binney Stree	<del>t-</del>	. <u>N</u> .	A_ not for publication		
city, town	Omaha	NA vicinity of				
state	Nebraska co	ode 031 coun	y Douglas	code 55		
3. Clas	sification					
Category district X_ building(s) structure site object	Ownership public _X private both Public Acquisition NA in process being considered	Status  X occupied  unoccupied  work in progres Accessible  X yes: restricted  yes: unrestricte  no	entertainment government	museum park private residence religious scientific transportation apartment		
4. Owr	ner of Prope	erty				
name	Roderick H. Davis					
street & number	, 4414 N. 31st Aven	ue				
city, town	Omaha	NA vicinity of	state	Nebraska		
	ation of Leg	gal Descript	tion			
courthouse, req	istry of deeds, etc. Doilo	las County Registe	r of Deeds			
		urthouse, 1819 Fari				
city, town	Omaha			Nebraska		
		in Existing		Nedlaska		
<del></del>	Omaha Building Su		property been determined eli	igible? yes y no		
		nas tilis				
date	On-going		federal stat	e county X local		
depository for s	survey records Landma	rks Heritage Prese	cvation Commission, C	ity Planning Departm		
city, town	Omaha		state	Nebraska		

t

#### 7. Description

Condition  X excellent deteriorated  good ruins fair unexposed	Check one unaltered _X_ altered	Check one _X_ original site moved date
--	---------------------------------------	--

#### Describe the present and original (if known) physical appearance

The Kelly house is a two-story, wood frame structure with raised brick basement and garret. It features a hipped roof with three dormers. A porch runs the entire width of the front facade and partially wraps around the southeast corner. Shallow two-story bays are located on the south and east facades.

The Kelly house is a wood frame structure with clapboard walls. The house is square (44' x 42') in shape, two stories with garret and raised brick basement. It features a hipped roof with broad eaves and central hipped roof dormers on the north, south and west. A porch with turned balusters runs the entire width of the front of the house and partially wraps around the southeast corner. The porch is supported by unfluted columns with ionic capitals. The columns are tripled at the corners of the porch. Shallow two-story bays project from the south and east elevations. The eaves display modillions and dentils. The second story of the south facade features an oval-shaped ornamental window. Double hung windows are employed throughout and multipaned windows in pairs are located in the dormers. A modern fire stair is attached to the west elevation.

In 1955 the house was divided into apartments. The interior retains little of its architectural integrity, having been altered and converted to apartments. In 1982 the house was completely rehabilitated by the current owner, R. H. Davis, creating five modern dwelling units. The house was designated a landmark in 1983 by the City of Omaha's Landmarks Heritage Preservation Commission.

#### 8. Significance

1400–1499	Areas of Significance—C archeology-prehistoric agricultureX architecture art _X commerce communications	 Iandscape architectur Iaw Iiterature Implicator Indicator Indicato	science sculpture social/ humanitarian theater
Specific dates	1904	 rge Kelly, J. Roys	

Statement of Significance (in one paragraph)

The Kelly House was built in 1904 by George H. Kelly, then secretary/treasurer and later president of the Adams and Kelly Company, manufacturers and distributors of architectural millwork. The house represents the development of the Kountze Place area. It is architecturally significant as a fine example of the Neo-Classical Revival Style of architecture popularized in America by the grand expositions of the mid and late 1890's.

In Omaha the general pattern of movement for the well-to-do has always been toward the West. Beginning with the earliest settlers on Capitol Hill and the bluffs west of Downtown, successive generations have jumped to Park Avenue and the West Farnam - Cathedral area, Happy Hollow and Fairacres, and today's Regency - Rockbrook vicinity. Perhaps the most notable exception to that trend was the North Omaha development of Kountze Place. First National Bank President Herman Kountze had owned the 160 acres between 16th and 24th Streets, Locust and Pratt, since the 1860s, but waited until the real estate boom two decades later to subdivide it and offer lots for sale.

Kountze planned the new development as an upper middle class residential suburb and soon attracted the city's professionals and big businessmen. Provisions in each deed stipulated both the minimum cost of each dwelling and its distance from the street, while prohibiting any unsavory activities in the neighborhood. Streets in the southern portion of the subdivision, particularly Binney and Wirt, were first built on in the late 1880s and contain some of Omaha's finest extant examples of Queen Anne and late Victorian architecture. Kountze Place, like other suburbs of that decade, experienced almost no growth during the 1890s Depression, but recovered after 1898 Trans-Mississippi and International Exposition held on the northern edge of the tract in what is now Kountze Park. As a result, the neighborhood as a whole exhibits several decades of popular architectural styles, from elaborate Queen Anne structures to the more subdued Neo-Classical Revival residences built after 1900.

One of the finest Neo-Classical Revival houses in the neighborhood was built by George H. Kelly at 1924 Binney. Constructed in 1904 at a cost of \$5,000., the house was designed by Kelly with J. Roys serving as the builder. Kountze Place was a logical area for Kelly to locate due to the proximity of his place of business, also in North Omaha. In 1904, when the house was constructed, Kelly was secretary/treasurer of the Adams and Kelly Company, manufacturers and distributors of architectural millwork. The firm was located at 1218 Nicholas and had first been organized in 1892 as Engler, Adams and Kelly. The Company was one of several early Omaha millworks that supplied doors, windows and architectural woodwork to local builders during the boom periods of the 1880s and early 1900s. Kelly went on to become president of Adams and Kelly in 1910 and continued to live at 1924 Binney until 1925 when he moved.

### 9. Major Bibliographical References

See continuation sheet

10. G	eographical	Data				
Quadrangle		than one acre		Quadrangle scale 1:24000		
UTM Referen	ices					
		4 9 Б	Zone Eas	ting Northing		
c L L						
E L			F L L			
$G \bigsqcup \bigsqcup$			H			
Verbal bou	ndary description and jus	stification				
	Block 10, Kountze Addted property.	dition to the C	ity of Omaha.	Includes all historically		
List all stat	tes and counties for prop	erties overlapping	state or county	boundaries		
state	NA	code cou	nty	code		
state	NA	code cou	intv	code		
			,			
II. F	orm Prepare					
name/title	Lynn Meyer, Preserva Edited by Nebraska			ff		
	Omaha City Planning	Department				
organization	Nebraska State Histo 1819 Farnam Stree	•	date	April, 1983 (402) 444-7000		
street & num	1500 5 6.	e C	telenho	one (402) 471–3850		
	Omaha		totopiid			
city or town	Lincoln		state	Nebraska		
12. S	tate Historic	Preserva	ation Off	icer Certification		
The evaluate	d significance of this proper	tv within the state is:				
	V	state loc	al			
665), I hereby	nated State Historic Preserva	ation Officer for the N nclusion in the Natio	ational Historic Pi nal Register and c	reservation Act of 1966 (Public Law 89– certify that it has been evaluated		
State Historic	Preservation Officer signat	ure Marin	10 Km	ett 6/7/83		
title Direc	tor, Nebraska State	Historical Socie	ety	date		
For NPS	use only		A Sour Goding - Ta			
I hereby certify that this property is included in the National Register						
1 1	Selvres Byer		ored in the ional Register	$\frac{1}{2}$ date $\frac{7}{21/83}$		
Keeper of	the National Register			소프 및 경기를 보고 <b>/</b> 에 가는 이 보고를 받는다. 소프트 : 1800년 - 1814년 -		
Attest:				date		
	Registration					

Form No. 10-300a (Rev. 10-74)

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS	HISE OF	NIV				
CONTRACT	Our O	V 24- T	842 × 110 (3)			
	1.1 1200 1.15		43.54			
aw Kini Kini A		HAMAS, A				
RECEIVE	N. 4		大笑的 學的		A A 4 S S T 1 S 4 S 4 S	
160000						
				Danasa XV		
		WARLEY H				
A 4TE EST	*** A ** A					18668
DATE EN	IEREU	MA 1707-4	1.0		그림 선생님이	

### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET Significance ITEM NUMBER 8 PAGE 2

Architecturally, the Kelly house is significant as one of the finest examples of the Neo-Classical Revival style of architecture to be found in North Omaha. The classically detailed structure was directly influenced by the grand Trans-Mississippi and International Exposition that had been held nearby in 1898, just six years before the house was constructed. The Trans-Mississippi Exposition and other fairs such as the 1893 World's Columbian Exposition at Chicago, had displayed classical architecture on a monumental scale. The middleclass, middle-western Americans who visited the expositions were dazzled by the cosmopolitan splendor of the grandiose buildings, electrically lighted and reflected in immense lagoons. All this had a tremendous effect on architectural taste. As Daniel Burnham, chairman of the architectural commission for the 1893 Chicago exposition is quoted as saying, "The Fair is going to have a great influence in our country. The American people have seen the "Classics" on a grand scale for the first time. . . I can see all American constructed along the lines of the Fair, in noble, dignified, Classic style." Burnham was correct. Neo-Classical architecture was to be the preferred choice for all types of buildings for many years.

The 1898 Trans-Mississippi Exposition reinforced the national preference for classical architecture for many Omahans. The image of the exposition was undoubtedly fresh in George Kelly's mind when he built his home in 1904. The major classical elements of the structure are its low pitched hip roof, the broadly projecting eaves supported by modillions and dentils, the porch columns with Ionic capitals, the turned balusters of the porch rail, and the oval window centered over the main entry. Although the predominant style of the house is Neo-Classical Revival, the George Kelly residence exhibits other elements that reveal its transitional nature. These include the subtle assymetry of the elevations, the shallow projecting bays and the wraparound porch, all carry over from the earlier Queen Anne style.

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NE	32112F	ONLY				W	
	· · · · · · · · ·	OHER.			dikisati riya		
2 4 5 6 6 6 7		Sec. 27 4 25 10	and the second	. 9 . 7 . 746 .			
1,200			A 1 1 - 47 2 3	4 7 4 174	NA 44		
		48 (40.000)					
			1.10 72	P. G. J. 16138 '	546.01 (0) Y.	Star of Philo	100000000000000000000000000000000000000
RECEIV		Appropriate Control of the Control o					
		57 1548 57800				CN . Aug.	- 9000000
	1 1 1 1 4 7 7 9	A DOMESTIC	Section 2018	and the state of t	91.9 W Section	1.1	
				1.0			
	2. 3 4 188	电子放射 机压	ar in station	Arrest Section			
		Carefilly Civ.	. Taran 1997	10, 54, 10			中央 计分类点
DATE	CRITCOL	n	A SHITT	5 3 1894 B			A 400 1148
DAICE	TIATEME	·			11.00		

## NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET Bibliography ITEM NUMBER 9 PAGE 2

- Blumenson, John J. G. <u>Identifying American Architecture</u>. Nashville American Association for State and Local History, 1977.
- City of Omaha building permit records.
- Fitch, James Marston. American Building: The Historical Forces That Shaped It. Boston: Houghton Mifflin Co., 1966.
- Gebhard, David and Martinson, Tom. A Guide to the Architecture of Minnesota. Minneapolis; University of Minnesota Press, 1977.
- Harris, Cyril M. <u>Historic Architecture Sourcebook</u>. New York; McGraw-Hill, 1977.
- Nebraska State Historical Society. National Register of Historic Places Nomination Forms. Mount Emerald and Capitol Additions Historic Residential District Lincoln, 1980.
- Omaha City Directories.
- Omaha City Landmark Nominations: John P. Bay Thomas A. Fry Residence.
- Resolution Exhibit 1. George Kelly House. Landmarks Heritage Preservation Commission, Omaha, Nebraska. Prepared by Lynn Meyer, Preservation Administrator, Omaha City Planning Department, 1983.
- The Federal Writer's Project of the Works Progress Administration, American Guide Series. Volume II "Points of Interest in the City."

  (Unpublished, 1939), Omaha Public Library.
- Whiffen, Marcus. American Architecture Since 1780, A Guide to the Styles. Cambridge; The M. I. T. Press, 1969.
- Whiffen, Marcus, and Koeper, Frederick. American Architecture, 1607-1976. Cambridge; The M. I. T. Press, 1981.